

Application No.: 09/755,437

**CLAIM AMENDMENTS**

Claims 1 through 7 (Cancelled).

8. (Currently amended) A chemical monolayer construction, said construction comprising:

- (a) a homogeneous substrate having a contact surface; and
- (b) a monolayer of a plurality of substantially parallel molecular units attached to said contact surface of said substrate, wherein said molecular units are attached to said substrate through a conjugated bond.

9. (Original) A chemical monolayer construction according to claim 8 wherein said substrate comprises conductive carbon.

Claims 10 and 11 (Cancelled).

12. (Original) A chemical monolayer construction according to claim 8 wherein said molecular units have an average length, said contact surface of said substrate has a roughness value that is substantially less than or equal to said average length of said molecular units.

13. (Previously presented) A chemical monolayer construction according to claim 8 wherein said substantially parallel molecular units are of substantially the same length.

Application No. 09/755,437

14. (Original) A chemical monolayer construction according to claim 8 wherein said substantially parallel molecular units comprise at least two types of molecular units of different lengths.

15. (Original) A chemical monolayer construction according to claim 8 wherein said roughness value is less than 200 Angstroms.

16. (Original) A chemical monolayer construction according to claim 8 wherein said roughness value is less than 20 Angstroms.

17. (Original) A chemical monolayer construction according to claim 8 wherein said roughness value is less than 5 Angstroms.

18. (Original) A chemical monolayer construction according to claim 8 additionally comprising a source of electrical current supplied to said substrate so as to be conducted by said plurality of substantially parallel molecular units.

Claims 19 – 43 (Cancelled).

44. (Currently amended) A method of producing a chemical monolayer construction, said method comprising:

- (a) providing a substrate consisting of conductive carbon, said substrate having a contact surface; and

Application No. 09/755,437

(b) reacting a chemical precursor bearing molecular units with said substrate so as to form a monolayer of a plurality of substantially parallel molecular units attached to said contact surface of said substrate, wherein said molecular units are attached to said substrate through a conjugated bond and wherein said molecular units have an average length, said contact surface of said substrate has a roughness value substantially less than or equal to said average length of said molecular units.

45. (Cancelled).

46. (Cancelled).

47. (Currently amended) A chemical monolayer construction, said construction comprising:

- (a) a substrate consisting ~~essentially~~ of conductive carbon, said substrate having a contact surface; and
- (b) a monolayer of a plurality of substantially parallel molecular units attached to said contact surface of said substrate through a conjugated bond.

Application No. 09/755,437

48. (Previously presented) The chemical monolayer construction according to claim 47, wherein said molecular units have an average length and said contact surface of said substrate has a roughness value that is substantially less than or equal to said average length of said molecular units.

49. (Previously presented) A chemical monolayer construction according to claim 47 wherein said substantially parallel molecular units are of substantially the same length.

50. (Previously presented) A chemical monolayer construction according to claim 47 wherein said substantially parallel molecular units comprise at least two types of molecular units of different lengths.

51. (Previously presented) A chemical monolayer construction according to claim 47 wherein said roughness value is less than 200 Angstroms.

52. (Previously presented) A chemical monolayer construction according to claim 47 wherein said roughness value is less than 20 Angstroms.

53. (Previously presented) A chemical monolayer construction according to claim 47 wherein said roughness value is less than 5 Angstroms.

Application No. 09/755,437

54. (Previously presented) A chemical monolayer construction according to claim 47 additionally comprising a source of electrical current supplied to said substrate so as to be conducted by said plurality of substantially parallel molecular units.

55. (New) A chemical monolayer construction, said construction comprising:

- (a) a substrate having a contact surface; and
- (b) a monolayer of a plurality of substantially parallel molecular units attached through a conjugated bond to said contact surface of said substrate, wherein said substantially parallel molecular units comprise at least two types of molecular units of different lengths.

56. (New) The chemical monolayer construction according to claim 5 wherein said substrate comprises conductive carbon.

57. (New) The chemical monolayer construction according to claim 55 wherein said molecular units have an average length, said contact surface of said substrate having a roughness value that is less than or equal to said average length of said molecular units.

58. (New) The chemical monolayer construction according to claim 55 wherein said roughness value is less than 200 Angstroms.

Application No. 09/755,437

59. (New) The chemical monolayer construction according to claim 55 wherein said roughness value is less than 20 Angstroms.

60. (New) The chemical monolayer construction according to claim 55 wherein said roughness value is less than 5 Angstroms.

61. (New) The chemical monolayer construction according to claim 55 additionally comprising a source of electrical current supplied to said substrate so as to be conducted by said plurality of substantially parallel molecular units.

62. (New) A chemical monolayer construction, said construction comprising:

- (a) a substrate comprising conductive carbon, said substrate having a contact surface; and
- (b) a monolayer of a plurality of substantially parallel molecular units attached to said contact surface of said substrate through a conjugated bond, wherein said substantially parallel molecular units comprise at least two types of molecular units of different lengths.

63. (New) The chemical monolayer construction according to claim 62, wherein said molecular units have an average length and said contact surface of said substrate has a roughness value that is less than or equal to said average length of said molecular units.

Application No. 09/755,437

64. (New) The chemical monolayer construction according to claim 62, wherein said roughness value is less than 200 Angstroms.

65. (New) The chemical monolayer construction according to claim 62, wherein said roughness value is less than 20 Angstroms.

66. (New) The chemical monolayer construction according to claim 62, wherein said roughness value is less than 5 Angstroms.

67. (New) The chemical monolayer construction according to claim 62 additionally comprising a source of electrical current supplied to said substrate so as to be conducted by said plurality of substantially parallel molecular units.